

DEEPIKA E.M SCHOOL

CHEMISTRY PROJECT

AIM- Study Of Constituents Of An Alloy

Name – *Souradip Sen*

Board roll no- 5664184

Contents

PAGE NO

1. Acknowledgement	3/13
2. Introduction	4/13
3. Aim of the experiment	5/13
a- General objective	
b- Specific objective	
4. Materials Required	6/13
5. Theory	7/13
6. Details of procedure and Observations	9/13
7. Conclusion	12/13
8. Bibliography	13/13
9. Signature	13/13

ACKNOWLEDGEMENT

I, Souradip Sen of class XLL -C express my gratitude to my school authorities for allowing me to undertake the project titled

Alloy Analysis

I naturally could not have done justice to my delicate assignment, had I not been privileged to get the animate guidance from

Mr.T.N.Dey, Chemistry teacher of Deepika E.M School.

I also express sincere thanks to my family who extended helping hand in completing this project.

Souradip Sen

Signatures:

Student

Internal

External

Examiner

Examiner

Introduction

An alloy is a homogeneous mixture of two or more metals or a metal and non-metal.

They are generally harder than their components with reduced malleability and ductility. Alloys are prepared to enhance certain characteristics of the constituent metals, as per requirement.

In this project, we shall qualitatively analyze the chemical composition of two alloys:

Brass and Bronze

Aim of the Experiment

General objective:

This project is being carried out with a view to increase the appreciation of alloy-analysis as an important branch of chemistry. The hands-on laboratory experience gained is highly beneficial in understanding the general procedure of qualitative analysis of an unknown sample.

Specific objective:

In this project, we shall be analyzing the constituents of Brass and Bronze.

MATERIALS REQUIRED

- 1) BRASS AND BRONZE PIECES
- 2) CHINA DISHES
- 3) FILTRATION APPARATUS
- 4) NITRIC ACID
- 5) HYDROGEN SULPHIDE GAS
- 6) AMMONIUM HYDROXIDE
- 7) AMMONIUM CHLORIDE
- 8) POTASSIUM FERROCYANIDE
- 9) AMMONIUM SULPHIDE
- 10) DIL HYDROCHLORIC ACID
- 11) MERCURIC CHLORIDE

Theory

Brass

Brass contains Cu and Zn . Both dissolve in nitric acid.



Further analysis is carried out for respective ions.

Cu dissolves in H_2S to give black ppt. of CuS . It is filtered to get the soln of Zinc Sulphide. It precipitates out in the form of $ZnCl_2$ in an ammoniacal soln. of Ammonium chloride. The precipitate is dissolved in dilute HCl and then treated with Potassium ferrocyanide to get a bluish-white ppt. of $Zn_2[Fe(CN)_6]$.


Bronze

Bronze contains Cu and Sn. Their nitrates are obtained by dissolving the sample in conc. Nitric acid. The nitrates are precipitated as sulphides by passing H_2S through their solution in dil. HCl .

The CuS is insoluble in yellow ammonium sulphide, while SnS is soluble. The ppt. is separated by filtration.

The ppt. is dissolved in conc. HNO_3 and then Ammonium hydroxide solution is passed through it. Blue colouration confirms the presence of Cu .

The filtrate is treated with conc. HCl followed by Zinc dust to obtain $SnCl_2$. Then $HgCl_2$ solution is added. Formation of slate-coloured ppt. indicates the presence of Sn .



Detail of Procedure/Observations

Brass:

1. A small piece of brass was placed in a china dish and dissolved in minimum quantity of 50% conc. HNO_3 .
2. The soln. was heated to obtain a dry residue. The residue was dissolved in Dilute HCl .
3. H_2S gas was passed and a black. ppt. was observed. The soln. was filtered and the ppt. was dissolved in NH_4OH soln. A blue coloration observed indicates the presence of Cu .
4. The filtrate was tested for presence of Zn . Ammonium hydroxide and chloride solutions were added and then H_2S gas was passed. A dull grey ppt. was separated and dissolved in dil. HCl followed by addition of Potassium

ferrocyanide. A bluish white ppt. confirms the presence of Zn.

Bronze:

- 1. The sample was dissolved in 50% HNO_3 and then heated to obtain nitrates.*
- 2. The nitrates were dissolved in dil. HCl and then precipitated as sulphides by passing H_2S gas.*
- 3. The precipitates were treated with yellow amm. sulphide when a part of it dissolves. The soln. was filtered.*
- 4. The ppt. was tested for Cu as in the case of brass.*

5. The filtrate was treated with conc. HCl followed by Fe dust.
6. Then $HgCl_2$ soln. was added. Formation of a slate-coloured ppt. confirmed the presence of Sn .

iCBSE.com

Conclusion

Brass contains Copper and Zinc.

Bronze contains Copper and Tin.

Bibliography

1. *Comprehensive Practical Chemistry- Class 12.*

2. *Inorganic Chemistry by*

J.D. Lee. Signatures:

Student

Internal

External

Examiner

Examiner

iCBSE.com